



Letter no: BAEPL/ 2024/ 150

Dt. 17.05.2024

To

The Dy. Director Central of Forests
Ministry of Env. Forest and Climate Change,
Govt. of India ,Regional Office, (Eastern Zone)
A/3, Chandrasekharapur
Bhubaneswar-751023

Sub: **Submission of Six monthly Environmental Compliance status report for the period from October,2023 to March,2024**

Sir,

With reference to the above subject, we are submitting herewith the Six monthly compliance status report to the conditions stipulated in the Environmental Clearance issued by the Govt. of India, Ministry of Environment, Forest and Climate Change for favour of kind acceptance.

For Bio Agro Energy Pvt. Ltd

For BIO AGRO ENERGY PVT. LTD.


DGM- Admin, Legal & PR
BY GENERAL MANAGER
ADMIN. LEGAL & PR

Encl: a/a

- Copy to:**
1. The Regional Director Central Pollution Control Board, Eastern Zonal office, southern Conclave, Block-502, 5th and 6th floor, 1582 Rajdanga Main road, Kolkata-700107
 2. Member Secretary, State Pollution Control Board, Odisha , Paribesh Bhawan, A/118, Nilakanatha Nagar , Unit-8, Bhubaneswar-751012.
 3. Regional Officer, State Pollution Control Board, Bolangir.

Bio-Agro Energy Pvt. Ltd,

CIN : U241200R2021PTC037684, Email : office@bioagroenergy.in

N-6/454, IRC Village, 3rd Floor, Opp. Crown Hotel, Bhubaneswar - 751015, Odisha, Tel. : 0674 - 3500284 / 3500285

Regd. Office : N-2/25, IRC Village, Nayapalli, Bhubaneswar-751015, Khordha, Odisha, Tel.No.: +91 11 674 2559009

**Six Monthly Compliance Status report
complying to Specific and General
Environmental Clearance Conditions for the
period**

(From 1st October -2023 to 31st March -2024)

Of

M/s Bio Agro Energy Pvt. Ltd

Village- Bankbija & Saradhapali, Po- S. Kalapathar,
Tehsil: Sonapur, Dist- Sonapur, Odisha, Pin – 767017

Submitted to:

Ministry of Environment , Forest and Climate Change
Regional office (Eastern Zone), A/3 , Chandrasekhar pur,
Bhubaneswar -751023, Odisha

By :

M/s Bio Agro Energy Pvt. Ltd.



Compliance to the conditions stipulated in the Environmental Clearance issued by Ministry of Environment, Forest & Climate Change vide File No- IA-J-11011/196/2022-IA-II(I), EC Identification No- EC22A060OR148841 dated 28/07/2022 for the Proposed 200 KLPD Grain based Ethanol plant along with 5.0 MW Co-generation Power plant at village – Bankbija & Saradhapali, Tehsil- Sonepur, Dist-Sonepur, Odisha -767017.

A. Specific Conditions- Period of Report : March ending 2024

Sl. No.	Specific Condition	Compliance
(i).	As per the Notification S.O. 2339(E), dated 16 th June, 2021, project falls in category B2 and the proposed capacity of 200 KLPD shall only be used for fuel ethanol manufacturing as per self-certification in form of a notarized affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Noted. After commissioning, Ethanol shall be used exclusively for fuel blending programme only. The conditions shall be complied.
(ii).	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Noted and the condition shall be complied. Some of the measures taken: 1. We will install ETP which will be fully operational at the time of commencement of commercial production. 2. ESP is installed for abatement of air pollution. 3. Distillery spent wash will be processed to produce DDGS as cattle feed and sold as by products. 4. Two layers of saplings planted in the boundary area to create a green belt.
(iii).	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises. STP shall be installed to treat sewage generated from factory premises.	The Plant is designed to achieve Zero Liquid discharge. Process condensate treatment plant and ETP will be installed to treat waste water and recycled back to cooling towers make up and no water will be discharged outside the premises
(iv).	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of	Conversion of land already made by Tahasildar and Orders to that effect have been obtained




	appraisal of project. Conversion of land use (CLU) certificate shall be obtained before start of construction activities.	
(v).	Total Fresh water requirement shall not exceed 4 KL/KL of ethanol production and will be met from Mahanadi River. Prior permission shall be obtained for surface water withdrawal before start of construction activities. No ground water recharge shall be permitted within the premises. Industry shall construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption	Noted. The conditions shall be adhered to
(vi).	The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. ESP shall be installed with the boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm ³ . Boiler ash will be utilized in proposed in-house brick manufacturing unit. PP shall use biomass like rice husk/bagasse as fuel for the proposed boiler. Coal shall not be used as fuel. PP shall meet 10% of the total power requirement from solar power by generating power inside plant premises/adjacent/nearby areas.	Noted. The conditions shall be adhered to
(vii).	CO ₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.	We are installing a CO ₂ plant to capture the CO ₂ generated from the process plant. Status: Civil works completed and equipment erection will be started shortly.
(viii).	PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Noted. The conditions shall be complied.
(ix).	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Noted and being Complied. Training on health & safety aspect is being conducted periodically and records are maintained.



(x).	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefightingsystem shall be as per the norms. PESO certificate shall be obtained.	Noted and the conditions shall be complied. Firefighting system order placed and will be installed as per norms. PESO provisional licence has been obtained
(xi).	Process organic residue and spent carbon, if any, shall be sent to Cementand other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF. Filter press shall be installed.	Noted and the condition shall be complied. Filter press will be installed
(xii)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated fillingto minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Noted. The conditions shall be complied.
(xiii).	The green belt of at least 5-10 m width shall be developed in nearly 33%of the total project area @ 2500 trees per hectares, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map. Greenbelt shall be developed before commissioning of the plant.	2300 nos native species of saplings planted so far.
(xiv).	PP proposed to allocate Rs. 2.28 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan for monitorable activitieslike up-gradation of schools with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light/solar power support for uninterrupted power supply etc. Further, all the proposed activities under CER shall be completed before	Noted. The condition shall be adhered to in consultation with District Administration.




	the commissioning of the plant in consultation with District Administration.	
(xv).	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes with facilities like rest rooms etc. Village road shall be maintained and proper safety shall be ensured by installation of proper road safety measures.	Noted. The condition shall be complied as directed
(xvi)	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.	Raw materials will be stored in two nos Silo. One Silo installation completed and another one erection under process Annexure- I – (Photo Attached)
(xvii)	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Noted. The conditions shall be complied.
(xviii).	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be setup to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ ManagingDirector/CEO as per company hierarchy	Noted. The condition shall be complied.




B. General Condition :


(i).	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	Noted Prior approval will be taken if at all any expansion or modification takes place
(ii).	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Noted. The below mentioned LED lights has been installed so far for lighting purpose in the premises. 100W- 12nos 400W- 8 nos 300W * 12nos- 1 no High Mast Light 30W- 16nos LED solar lights Annexure- II (Photo Attached)
(iii).	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Noted. The conditions shall be complied.
(iv).	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall	Noted. All the directions will be adhered to as per norms.



	undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	
(v).	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Noted. Sufficient funds has been earmarked to implement Environment Management Plan. The conditions shall be complied.
(vi).	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Noted
(vii).	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Noted. EC and six-monthly Compliance Report for Oct-2023 to Mar-2024 has been sent to SPCB, Regional office and Regional Office of the Ministry.
(viii)	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and	Noted. The Plant is under process of construction.




	shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	
(ix).	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Information in related to the Environment Clearance from MoEF&CC for the project, has been published in two local newspapers: Statesman – Bhubaneswar (English) on 22.04.2023 (Annexure -III) and Sambad – Odisha (Odia) (Annexure III) on 21st April 2023 . Copy of the advertisements have been forwarded to Regional Office of the Ministry along with report
(x).	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted. Date of Financial Closes- 31st. March EC-28.07.2022 CTE- 15.09.2022 Date of start of Project- Excavation work started for Boundary wall on 19/09/2022 Excavation started for Civil Foundation on 27/3/2023
(xi).	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.



Annexure – I

SILO




CO2 Plant




Annexure – II

SOLAR LIGHTS



HIGH MAST LIGHT



30,000 young women and girls are benefitting from India's largest and first of its kind Skill Impact Bond that JSW runs in collaboration

The session on the theme narrowing the Gender Gap-Empowering through skills was moderated by Mrs Suja-

She met CM i Naveen Pattnaik, earlier in the day to discuss skill development potential in the state.



State BJP president Manmohan Samal and BJP leaders submit memorandum to Governor Prof Ganeshi Lal exposing the failure of the state govt which led communal riots in Sambalpur. SNS



Bio Agro Energy Pvt. Ltd Bhubaneswar

Environmental Clearance for installation of 200 KLPD Grain based Ethanol Plant a ZLD unit along with 5 MW Co-Gen Power Plant at village- Bankbija & Saradhapali, Sonepur Tehsil of District- Sonepur (Subarnapur), State- Odisha.

Ministry of Environment, Forest & Climate Change (Impact Assessment Division) has accorded Environmental Clearance for the installation of 200 KLPD Grain based Ethanol Plant along with 5 MW Co-Gen power plant at Village Bankbija & Saradhapali, Tehsil- Sonepur, Dist- Sonepur, Odisha vide file no- IA-J-11011/196/2022-IA-II(I), Dt. 28.07.2022.

Copy of Clearance letter by MoEF&CC is available with State Pollution Control Board, Odisha and may also be seen at website of the Ministry of Environment, Forest and Climate Change at <http://www.moef.nic.in>

This is for information of all concerned.

DGM-Admin, Legal & PR



संयुक्त बैंक ऑफ इंडिया
Central Bank of India
CENTRAL TO YOU SINCE 1947

VEDVYASH BRANCH Rourkela - 769004, Odisha

PUBLIC NOTICE

The original Sale Deed bearing RSD No.:63 dated 21.01.1981 relating to Khata No.: 51, Plot No.: 68, Mouza: Jamunanaki, Tahasil: Kuarmunda, PS.: Birmitrapur, Dist.: Sundergarh, Area: Ac.0.08 Dec., in the name of Sri Parsuram Ram urf Parsuram Pal resident of Rourkela, Dist.: Sundergarh which was subsequently mutated in the name of Mr. Pradeep Pal and Mr. Sudheer Pal both S/o: Parsuram Ram urf Parsuram Pal was deposited with Central Bank of India, Vedyash Chowk Branch, as security in one of the loan accounts. Presently the details of the aforesaid secured asset are as under: Khata No.: 71/11, Plot No.: 68, Mouza: Jamunanaki, Tahasil: Panposh, PS.: Birmitrapur, Dist.: Sundergarh, Area: Ac.0.08 Dec.

At present the original title deed is not traceable from the custody of the Branch, hence the public in general are hereby informed and cautioned not to deal with the property in any manner whatsoever. If anyone come across the original title deed of the property the same may be deposited at the branch at below mentioned address.

Central Bank of India, Vedyash Branch, Rourkela - 769004
Mob No.: 7381003116, Email: bmsamb3116@centralbank.co.in

Date: 21.04.2023

Sd/- Chief Manager

RI held for forging DM's signature

STATESMAN NEWS SERVICE
DHENKANAL, 21 APRIL

Dhenkanal Town Police arrested the Revenue Inspector of Kamakshyanagar Biswanath Pradhan on charges of forging the signature of former district collector Roopa Roshan Sahoo.

He was arrested on Friday, five years after the complaint was lodged with the police.

According to police sources Biswanath was RI in Gondia and also held charge of Bhuban area when he forged the signature of the then collector on his CCR.

The incident came to light but the collector was transferred from Dhenkanal. Subsequently Collector Nikhil Pawan Kalyan had lodged the complaint after an inquiry.

Police suspect that there are other staff involved in the incident.

Town Police Inspector in charge Rajendra Mohapatra informed that RI Pradhan was arrested after thorough interrogation and documents verification he was sent to jail after his bail plea was rejected.

1. Date & time of availability of bid document in the portal :- 11.00 Hrs. of dt.28.04.2023 to 15.05.2023.
2. Last date / time of receipt of bids in the portal :- 15.05.2023 upto 17.30 Hrs.
3. Date & time of opening of bids :- 16.05.2023 at 12.30 Hrs.
4. Name and address of the Officer Inviting Bid :- The Additional Chief Engineer, P. H. Circle, Nayabazar, Cuttack-753004, Odisha, Ph. (0671)2440841, email: sephctc@gmail.com
Further details can be seen from the web site www.tendersorisssa.gov.in
Addl. Chief Engineer, P.H. Circle, Cuttack.

B-110

"e"-PROCUREMENT NOTICE GOVERNMENT OF ODISHA, WORKS DEPARTMENT

E-mail: qualitycontrol02@gmail.com

Bid identification No. CE/RDQP-01/2023-24

1. Chief Engineer, R.D.&Q.P. (R&B), Odisha, Bhubaneswar, or of Governor of Odisha, invites online bids/ tenders from reputed/ISO Certified laboratory equipment manufacturers or their authorized distributors, in double cover system for supply of Vehicle mounted Weight Deflectometer (FWD) with vehicle to Central lab under Quality Control (R&B) Division, Bhubaneswar and Engineer, R.D.&Q.P.(R&B), Odisha including their ins commissioning & operational training and Annual Maint of equipment, insurance of vehicle and equipment, c and maintenance of vehicle, supply of manpower compo under terms and conditions contained in the bid docume

2. Cost of Tender Paper : Rs. 10000.00
3. Availability of bid document : From 10.00 on the website 27.04.2023 to 17.05.2023

4. Date of opening of Bid : Dt.24.05.2023 at 5.00 PM
5. The Bidders have to participate in ONLINE bidding on details can be seen from the website: <https://tenderodisha.gov.in>
Any addendum / corrigendum / cancellation of tender c seen in the said website.

Chief Engineer, RD & OP (R&B)

OIPR-34117/11/0007/2324

RAJASTHAN STATE ROAD TRANSPORT CORP

Parivahan Marg, Chomu House, Jaipur-302001 (Raj.), Telephone No. 0141-2741924

No. F96/HQ/Tr/Cont./23/273

SHORT-TERM NIB FOR DEPOT WISE HIRIN

3x2 BS-VI BUSES ON KM. BASIS IN RSR

Online Bids in the prescribed form are invited for depot wise hire model as per the RSRTC specification on kilometer basis. The details of the Bid will be available at RSRTC website- <http://transport.rajasthan.gov.in> or <http://sppp.rajasthan.gov.in> UBN No. RTC2324SLOB00015

Online Bids will be accepted on above website upto 14:00 25-04-2023 and Technical bid will be opened on 26-04-2023 at 12:00 hrs the undersigned.

ADV. No. 12/23-24

Raj. Samwad/C/23/1009

Executive Dir

RAJASTHAN STATE FOOD & CIVIL SUPPLIES CORP

(A State Government Undertaking) 5th Kisan Bhawan, Lal Koti, Jaipur-302015, Ph.: 0141-2741924, E-Mail: rsfsc@gmail.com, Web: rsfsc.org

File No.: (J)/RSFSC/NPDS/Bid/475

NOTICE INVITING BID

E-bids for supply of CTC Tea at Fair Price Shop dealer in all invited from interested bidders up to 19.05.2023 at 11.00 hrs. particulars of the bid may be visited on the procu (<http://eproc.rajasthan.gov.in> or <http://sppp.rajasthan.gov.in> state, and rsfsc.org. The approximate value of the procu 3.60 Crore.

UBN No.: FCS2324SLOB00006

Raj. Samwad/C/23/1028

General Man

(STATESMAN - Dt- 22-04-2023)



କିନ୍ତୁ ଶେଷ କରିବା ପାଇଁ ଚାହୁଁଛନ୍ତି ବୋଲି କୁହାଯାଇଛି। ଶେଷରେ ଗଣେଶ ଚୋରା ବନ୍ଧୁକ ଡିଆଁରି ଏକ କୁଟିର ପରିଣତ ହୋଇଥିବା ଏହି ଏକ ପ୍ରକାର ସ୍ପଷ୍ଟ ହୋଇଛି। ଅନୁସାରେ, ଏସ୍ପି ରାଜ ନିର୍ଦ୍ଦେଶରେ କଣ୍ଟାମାଳ ମାଳପଡ଼ର ଗ୍ରାମ ନିକଟରେ ବାସ କରି ଚୋରା



ବାଲାଣ ପାଇଁ ଗଢ଼ିତ କରାଯାଇଥିବା ଘଟଣାସ୍ଥଳରୁ ଦୁଇଜଣଙ୍କୁ ପୁଲିସ କାନ୍ଦୁ ୩୧ କୁଇଣ୍ଟାଲ ଗଣେଶ ଜବତ କରିଛି। କରିଥିବା ବେଳେ ଅନ୍ୟମାନେ ଫେରାର

କିନ୍ତୁ କିନ୍ତୁ ପାଞ୍ଚଟି ସିଙ୍ଗଲ ବ୍ୟାରେଲ ବେଣୀ ବନ୍ଧୁକ ଜବତ କରାଯାଇଛି। ପାଞ୍ଚଟି ବନ୍ଧୁକ ଜବତ କରାଯାଇଥିବାରୁ ପାଞ୍ଚରୁ ଅଧିକ ବ୍ୟକ୍ତି ଘଟଣାସ୍ଥଳରେ ରହିଥିବା ଅନୁମାନ କରାଯାଇଛି। ପୁଲିସ କେସ ନଂ ୮୧/୨୦୪.୨୦୨୩ରେ ମାମଲା ରୁଜୁ କରି ତଦନ୍ତ କରୁଛି। ଡୋରା ବାଲାଣରେ ସାମିଲ ଥିବା ମୁଖ୍ୟ ଅଭିଯୁକ୍ତ ସହ ଅନ୍ୟ ଅଭିଯୁକ୍ତଙ୍କୁ ଗିରଫ କରିବା ପାଇଁ ପୁଲିସ ଚଳାଯାଉଥିବା ଆଶୟ ରହିଛି।

ତ୍ୟା ଘଟଣା ମାଲା

ପ୍ରେମିକ

ସ): କଳାହାଣ୍ଡି ଜିଲ୍ଲା ପଞ୍ଚାୟତ କୁଳପାଣି ଶିଳ୍ପାର ହୋଇ ଜଣେ ତ୍ୟା କରିଥିଲେ। ଏହି ଶ୍ରମ ପ୍ରେମିକ ସମାର ରିଛି। ଗୁରୁବାର ତାଙ୍କୁ ବା ବେଳେ ଜାମିନ ହାଜତକୁ ପଠାଇ ଆନାସିକାରୀ ପ୍ରସନ୍ନ

ଖୁଣ୍ଟରେ ପିଟି ହେଲା ବାଇକ୍

ବୁର୍ଲା, ୨୦/୪(ଇମିସ): ବୁର୍ଲା ଥାନା ଅନ୍ତର୍ଗତ ଚାଉଁରପୁର ବ୍ରିଜ ନିକଟରେ ଏକ ମର୍ମହୀନ ସଡ଼କ ଦୁର୍ଘଟଣା ଘଟିଛି। ଘଟଣାସ୍ଥଳରେ ୪ ବର୍ଷର ପୁଅର ମୃତ୍ୟୁ ହୋଇଥିବା ବେଳେ ବାପା ଗୁରୁତର ଅବସ୍ଥାରେ ଚାକ୍ତରଖାନାରେ ଭର୍ତ୍ତି ହୋଇଥିବା ପୁଲିସ୍ ପକ୍ଷରୁ ସୂଚନା ମିଳିଛି। ପ୍ରାୟ ସୂଚନା ଅନୁଯାୟୀ, ବୁର୍ଲା ଥାନା ଅନ୍ତର୍ଗତ ବରମପୁରା ଅଞ୍ଚଳର ବାରେନ ଓରାମ ନିଜ ୪ ବର୍ଷର ପୁଅ ରିହାନ ଓରାମଙ୍କ ସହ କୌଣସି କାମରେ ନିଜ ବାଇକ୍ (ଓଡିଏ୪ୟୁ

ପୁଅ ମୃତ, ବାପା ଗୁରୁତର

୨୩୧୮)ରେ ଯାଉଥିବା ସମୟରେ ଚାଉଁରପୁର ବ୍ରିଜ ନିକଟରେ ଦୁର୍ଘଟଣାଗ୍ରସ୍ତ ହୋଇଥିଲେ। ଭାରସାମ୍ୟ ହରାଇ ବାଇକ୍ଟି ଏକ ଖୁଣ୍ଟରେ ପିଟି ହୋଇଥିଲା। ଖବର ପାଇ ବୁର୍ଲା ପୁଲିସ୍ ଘଟଣାସ୍ଥଳରେ ପହଞ୍ଚି ଗୁରୁତର ଅବସ୍ଥାରେ ବାପା ପୁଅଙ୍କୁ ଉଦ୍ଧାର କରି ସମ୍ବଲପୁର ଜିଲ୍ଲା ଚିକିତ୍ସାଳୟକୁ ନେଇଥିଲା। ସେଠାରେ ଚାକ୍ତର ପୁଅ ରିହାନକୁ ମୃତ୍ୟୁଦୋଷଣା କରିଥିବା ବେଳେ ବାପା ଗୁରୁତର ଅବସ୍ଥାରେ ଅଛନ୍ତି ବୋଲି ପୁଲିସ୍ ପକ୍ଷରୁ ସୂଚନା ମିଳିଛି।



ହାଲନ

୧୧ ଧସ୍ତାଧସ୍ତି



ବେଳେ ଖଡ଼ିଆଳ ବନଖଣ୍ଡ ଧାସିବା ପର୍ଯ୍ୟନ୍ତ ଧାରଣା ଜାରି କରି ପ୍ରକାଶ କରିଛନ୍ତି। ଲକ୍ଷ୍ମଣ ମାଝି, ଚୈତନ୍ୟ ମାଝି, ରଞ୍ଜୁ ମାଝି, ସହଦେବ ମାଝି, ବୁରୁ ମାଝି ପ୍ରମୁଖ ଏଥିରେ ସାମିଲ ହୋଇଥିଲେ।

୨ ନାବାଳିକାଙ୍କୁ ଦୁଷ୍କର୍ମ ଅଭିଯୋଗ ଘଟଣା

ଜାତୀୟ ମାନବାଧିକାର

କମିସନରଙ୍କ ହସ୍ତକ୍ଷେପ ଲୋଡ଼ିଲେ

ଭବାନୀପାଟଣା, ୨୦/୪ (ଇମିସ): କଳାହାଣ୍ଡି ଜିଲ୍ଲା ଲାଞ୍ଜିଗଡ଼ ବ୍ଲକ୍ ବିଜେପୁର ଥାନା ପାଲିବାହାଲି ରାସ୍ତାରେ ୨ ଜଣ ନାବାଳିକାଙ୍କୁ ଗଣଦୁଷ୍କର୍ମ କରିବା ଘଟଣା ନେଇ ଜାତୀୟ ମାନବାଧିକାର କମିସନ ରିପୋର୍ଟ ତଳେ କରିବା ନିମନ୍ତେ ଅଭିଯୋଗ କରାଯାଇଛି। ଆଜି ବିଜେପୁର ଥାନାରେ ୨ଜଣ ପାଢ଼ିଆ ଅଭିଯୋଗ କରିବା ପରେ ବ୍ରହ୍ମପୁରର ମାନବାଧିକାର କମିଟି ରବିନ୍ଦ୍ର ମିଶ୍ର ଜାତୀୟ ମାନବାଧିକାର କମିସନ ନିକଟରେ ଅଭିଯୋଗ କରିଛନ୍ତି। ଏହି ଅଭିଯୋଗକୁ କମିସନ ଚାଇଲ୍ ନଂ-୬୫୦୭/୨୦୨୩ ରେ ଗ୍ରହଣ କରିଛି। ଅଭିଯୋଗରେ କମିସନ ପକ୍ଷରୁ କାର୍ଯ୍ୟାନୁଷ୍ଠାନ ନେଇ ରିପୋର୍ଟ ତଳେ କରିବାକୁ ଅନୁରୋଧ କରାଯାଇଛି।

ବାୟୋ ଆଗ୍ରୋ ଏନର୍ଜି ପ୍ରା.ଲି.ଃ.,
ଭୁବନେଶ୍ୱର

BIO-AGRO

ବାଙ୍କବିକା ଓ ସରଥାପାଲି ଗ୍ରାମ, ସୋନପୁର ତହସିଲ, ଜିଲ୍ଲା- ସୋନପୁର ଓଡ଼ିଶାରେ ୨୦୦ କେ-ଏକପିଟି ଶାସ୍ୟ ଆଧାରିତ ଇଥାନଲ୍ ପ୍ଲାଣ୍ଟ ଏବଂ ୫ ମେଗାଓୟାର କୋ-ଜେନେରେସନ ପାୱାର ପ୍ଲାଣ୍ଟ ଉପକ୍ରମ ପାଇଁ ପରିବେଶ ମନ୍ତ୍ରାଳୟ।

ପରିବେଶ, ଜଙ୍ଗଲ ଏବଂ ଜଳବାୟୁ ପରିବର୍ତ୍ତନ ମନ୍ତ୍ରାଳୟ ପତ୍ର ସଂଖ୍ୟା, IA-J-11011/196/2022-IA-II(I), Dt. 28.07.2022 ଅନୁସାରେ ବାଙ୍କବିକା ଓ ସରଥାପାଲି ଗ୍ରାମ, ସୋନପୁର ତହସିଲ, ଜିଲ୍ଲା- ସୋନପୁର ଓଡ଼ିଶାରେ ୨୦୦ କେ-ଏକପିଟି ଶାସ୍ୟ ଆଧାରିତ ଇଥାନଲ୍ ପ୍ଲାଣ୍ଟ ଏବଂ ୫ ମେଗାଓୟାର କୋ-ଜେନେରେସନ ପାୱାର ପ୍ଲାଣ୍ଟ ଉପକ୍ରମ ପାଇଁ ପରିବେଶ ମନ୍ତ୍ରାଳୟ ପ୍ରଦାନ କରାଯାଇଅଛି।

MoEF&CC ଦ୍ୱାରା କରାଯାଇଥିବା ମାଷ୍ଟର ପ୍ଲାନ ନକଲ ଓଡ଼ିଶା ରାଜ୍ୟ ପ୍ରଦତ୍ତ ନିୟନ୍ତ୍ରଣ ବୋର୍ଡ ନିକଟରେ ଉପଲବ୍ଧ ଓ ପରିବେଶ, ଜଙ୍ଗଲ ଏବଂ ଜଳବାୟୁ ପରିବର୍ତ୍ତନ ମନ୍ତ୍ରାଳୟ ୱେବସାଇଟ୍ <http://moef.nic.in> ରେ ମଧ୍ୟ ମିଳିପାରିବ।

ଏହା ସମସ୍ତଙ୍କ ଅବଗତ ନିମନ୍ତେ ରାଜିଷ୍ଟ୍ରି

Sd/- DGM-Admin, Legal & PR

(SAMBAD - 21.04.2023)